



OPEN ACCESS

EDITED BY
Bao-Jie He,
Chongqing University, China

REVIEWED BY
Shanshan Chen,
Humboldt University of
Berlin, Germany
Jack Ngarambe,
Kyung Hee University, South Korea

*CORRESPONDENCE
Ayyoob Sharifi
sharifi@hiroshima-u.ac.jp

SPECIALTY SECTION
This article was submitted to
Climate Adaptation,
a section of the journal
Frontiers in Climate

RECEIVED 23 June 2022
ACCEPTED 11 October 2022
PUBLISHED 28 October 2022

CITATION
Baninla Y, Sharifi A, Allam Z, Tume SJP,
Gangtar NN and George N (2022) An
overview of climate change adaptation
and mitigation research in Africa.
Front. Clim. 4:976427.
doi: 10.3389/fclim.2022.976427

COPYRIGHT
© 2022 Baninla, Sharifi, Allam, Tume,
Gangtar and George. This is an
open-access article distributed under
the terms of the [Creative Commons
Attribution License \(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use,
distribution or reproduction in other
forums is permitted, provided the
original author(s) and the copyright
owner(s) are credited and that the
original publication in this journal is
cited, in accordance with accepted
academic practice. No use, distribution
or reproduction is permitted which
does not comply with these terms.

An overview of climate change adaptation and mitigation research in Africa

Yvette Baninla^{1,2}, Ayyoob Sharifi^{2*}, Zaheer Allam³,
Suiven John Paul Tume⁴, Ngeh Najibullah Gangtar¹ and
Ngiamte George⁵

¹Department of Geology, Mining and Environmental Science, University of Bamenda, Bamenda, Cameroon, ²Graduate School of Humanities and Social Science and Network for Education and Research on Peace and Sustainability, Hiroshima University, Hiroshima, Japan, ³Institute for Sustainable Futures, University of Technology Sydney, Sydney, NSW, Australia, ⁴Department of Geograph and Planning, University of Bamenda, Bamenda, Cameroon, ⁵Pan-African University Life and Earth Science Institute (PAULESI), University of Ibanda, Ibadan, Nigeria

Research on climate change has increased significantly since the 1970s. There has also been a particular focus on Africa, given its vulnerability to climate change impacts and its urbanization trends that may have massive implications for climate change adaptation and mitigation. Despite the wealth of publications on climate change in Africa, there is a lack of review studies that highlight the overall research landscape. If this status of climate research is clarified, African countries can better deal with climate change. Hence, this paper aims to improve our understanding of the status and trends of research on climate change adaptation and mitigation in Africa. Our review, straddling from 1990 to late 2021, recognizes the foundations that underpin climate change adaptation and mitigation literature. Based on keywords associated with Africa's climate change adaptation and mitigation, we undertook bibliometric research by collecting 3,316 related SCI/SSCI articles. In addition, we provided a thematic evolution over three decades, compartmentalized into four sub-periods (1990–2007; 2008–2014; 2015–2019; 2020–2021). Priority research topics and themes have been dynamic over time, with some core concepts receiving more attention (vulnerability, food, water, and energy security). Although the number of published articles exhibited a rapidly growing trend, their distribution is extremely uneven. Articles were mainly published by institutions from certain parts of the continent, with the University of Cape Town, making the highest contribution. About 72% of the existing studies focused on climate change adaptation, while climate change mitigation was less represented with 22%. The results also showed that researchers have examined not all African countries. South Africa, Ethiopia, and Ghana are hot spots, while most countries are largely neglected. Africa and African countries need to improve their future research ability on climate change mitigation. Assessing climate change risks and measures in African countries should be prioritized.

KEYWORDS

climate change, adaptation, mitigation, Africa, bibliometric analysis, urbanization, vulnerability, risk

Introduction

Climate change is a threat to humanity. Global CO₂ emissions have increased considerably from 14.9 billion metric tons in 1970 to 36.4 billion metric tons in 2021¹. Consequently, atmospheric concentration of CO₂ emissions has increased from 325 ppm to 414 ppm over the same period. Africa, like other continents, is vulnerable, and exposed to extreme climate events (Busby et al., 2014; Russo et al., 2016). Vulnerability is exacerbated by the continent's low adaptive capacity and its dependence on rain-fed agriculture (Dzoga et al., 2018; Apraku et al., 2021; Azadi et al., 2021).

Temperatures have been reported to be increasing in Africa. North Africa's temperature has been increasing between 0.2°C per decade and 0.4°C since the 1970s (Donat et al., 2014; Lelieveld et al., 2016). Meanwhile, in West Africa, temperatures have undergone positive trends of 0.28°C (Russo et al., 2016; Nikiema et al., 2017). Temperature intensity has increased from 0.25 to 1.8°C in the Sahel and West Africa (Vizy and Cook, 2012; Fotso-Nguemo et al., 2017; Iyakaremye et al., 2021). According to literature, South Africa has the highest projected increase (Engelbrecht et al., 2015; Moron et al., 2016; Hoegh-Guldberg et al., 2018). Frequent temperature increases affect arable land and reduce the production of many African crops (Berck et al., 2018; Mumo et al., 2018).

Annual rainfall in Africa has also varied between regions. North Africa has witnessed negative trends in precipitation (Tramblay et al., 2013; Hertig et al., 2014). Declining trends have also been observed in West Africa (Nicholson et al., 2018), but East and Southern Africa are experiencing high precipitation (Liebmann et al., 2014; Nicholson, 2017; Nikulin et al., 2018). The overall outcome is a negative trend in Africa's rainfall, which negatively impacts the environment, livelihoods, food, water, and energy security (Akinsanola et al., 2021). Approximately, US\$ 1.4 billion annually on food crops across Africa has been lost (Sileshi and Gebeyehu, 2021). Aggregate annual production losses of 8.9% have been reported, translating to 2.3 million MT of wheat lost, affecting 48.2 million consumers across Africa (Sileshi and Gebeyehu, 2021). About 57% of arable land in Africa produces fewer crops, resulting in poverty, affecting about 40% of the population (Berck et al., 2018). About 25% reduction has been reported in East Africa's annual crop yields (Mumo et al., 2018). By 2023, \$1.4trillion of Africa's GDP will be vulnerable to climate change, a significant 48% of the entire continent's GDP (Sileshi et al., 2019).

Economic growth and rapid urbanization have been evident in Africa. Some countries have recorded increasing economic growth, like Rwanda (8.7%), Ethiopia and Côte d'Ivoire (7.4%), Ghana (7.1%), Tanzania (6.8%), and Benin (6.7%) (Tenaw and Hawitibo, 2021). Africa's urbanization rate increased from

30.8 to 38.8% between 2000 and 2018, with a 2.2% economic growth (Nathaniel and Adeleye, 2021). Seventy-nine African cities are amongst the world's top 100 fast-growing cities and face extreme risks due to climate change (Weforum, 2021). An increase in economic growth and urbanization translates to high energy demand and GHG emissions. Africa is also characterized by its rapid demographic change. Countries like Tanzania, Nigeria, Ethiopia, and Angola have registered annual population growth rates of 4.8, 4.5, 4.3, and 3.7%, respectively (Weforum, 2021). Population explosion has increased CO₂ emission from 399,239Kw in 1990 to 823,424Kt in 2018 (Worldbank, 2022). In 2019, South Africa was the most polluting country, having emitted 479 billion metric tons of CO₂ emissions, followed by Egypt with 247 billion metric tons of CO₂ emissions (Saleh, 2021). Countries like Nigeria, Algeria, Libya, and Morocco are other large producers of CO₂ (≥10 Mt/year) (Boden et al., 2017; Habimana Simbi et al., 2021). Rapid economic growth and population lead to the fast growth of CO₂ emissions and environmental degradation in many African countries. This showcases the role of Africa in global climate change during its socioeconomic transformation. Therefore, policymakers must focus more on adaptation and mitigation strategies to curtail the impacts of climate change on the continent.

There has been a rapidly increasing number of reviews on climate change in Africa. Akinyi et al., look at the trade-offs and synergies related to implementing climate adaptation strategies among farmers (Akinyi et al., 2021). There have been studies on the impacts of climate change on water resources (Nkhonjera, 2017; Leal Filho et al., 2022a), with a consensus that adaptation and mitigation measures are necessary to cut the impacts on water resources. A study by (Zinyengere et al., 2013) projects an 18% decline in maize yields and suggests adaptation could potentially moderate the negative impacts of climate change. Nyiwul (2021), examined if the needs of the poor somehow influence adaptation and mitigation policies and states. In addition to review studies, many research papers on climate change in Africa have been published (Steynor et al., 2020; North et al., 2022). This significant increase in publications makes it challenging for climate change researchers to maintain an up-to-date overview of the literature. Therefore, it is imperative to obtain a full overview of climate change mitigation and adaptation research in Africa for intellectual and political reasons.

Bibliometrics stands as one of the powerful quantitative methods that can be used to analyze the development of scientific literature in a research field like climate change (De Bakker et al., 2005; Hirsch, 2005; Sharifi et al., 2021). Bibliometric methods and tools can be used to trace the intellectual landscape of climate change across the globe (Li et al., 2011). Several bibliometric analyses of climate change studies have been conducted. For instance, a bibliometric analysis of climate change adaptation has been done, and

¹ Statistica.com

results show that the US ranks first in terms of publication output (Wang et al., 2018). Climate change vulnerability has been explored using quantitative analysis showing that food insecurity is one of the most frequently discussed areas in climate vulnerability research (Wang et al., 2014). In 2015, research hotspots and models in climate policy were reviewed using a bibliometric method (Wei et al., 2015). The interrelationship between resilience, adaptation, and vulnerability in the face of changing climate has been researched by Janssen et al. (2006). There have also been studies on the impacts of global warming on tea production using a bibliometric analysis (Marx et al., 2017). A study that has come so close to the present is the study of climate change in the belt and road initiative regions (Tan et al., 2021) where the authors elaborated on the status and trends of climate change research in the Belt and Road Initiative regions of Central Asia, Russia and Europe. Other studies have focused on climate change mitigation, adaptation, and resilience (Einecker and Kirby, 2020), and mapped urban sustainability and its links to climate change mitigation and adaptation (Sharifi, 2021; Sharifi et al., 2021).

Thus, there are more than a few previous bibliometric studies with comprehensive analyses of climate change. However, to the best of our knowledge, there are rare, if not none, on climate change adaptation and mitigation in Africa. As Africa is highly vulnerable to climate change, a clearer picture of climate change adaptation and mitigation research is of practical significance to the intellectual community. Therefore, this study aims to review Africa's research status and trends on climate change adaptation and mitigation. This review addresses the following questions: What are the growth trends in research on climate change adaptation and mitigation in Africa? Which authors and documents in the literature on climate change adaptation and mitigation have had the greatest impact on citation in the past 30 years? What is the intellectual structure of the knowledge base on climate change adaptation and mitigation in Africa, and how has the research on this topic evolved? This overview is one of the first attempts to quantify the growth of climate change adaptation and mitigation science literature in the African continent. It should be noted that, unlike systematic reviews, this bibliometric review does not intend to provide details on different issues related to the study topic. Instead, it provides an overview of the state of the knowledge and highlights the related structures and trends.

The paper is organized as follows: Section Methodology describes the methodology, clearly explaining the parameters used in searching articles. Section Results and discussions outlines the results and discussions. Lastly, potential new areas that are likely to influence the field of climate change in Africa are investigated in the final section.

Methodology

Literature search and selection were conducted following the Preferred Reporting Items for Systematic Review and Meta-Analysis Protocols (PRISMA) (Moher et al., 2010). To retrieve documents related to two major themes, "Climate Change Adaptation" and "Climate Change Mitigation" a combination of keywords was used to build the search string (see the [Supplementary material](#)). The theme of climate change adaptation referred to keywords such as adaptation, resilience, risk, management, and reduction. In contrast, the theme of climate mitigation involved keywords such as decarbonization, mitigation, carbon, CO₂, and GHGs. Synonyms were taken into consideration. All countries in Africa were included in the search string. The search was further performed in the three fields of titles, abstracts, and keywords for a more comprehensive data retrieval. The start time of the search was 1990, and the end time was 2021. The search returned 3,958 documents in formats compatible with the VOSviewer software. The eligibility criteria included the following: (1) articles on adaptation and mitigation studies in Africa and or any African country; (2) Peer-reviewed empirical, primary research papers in academic journals, books or book chapters, or conference proceedings (3), papers published in English. The next step was the manual screening of the documents to exclude irrelevant ones. After exclusion, we retained 3,235 articles.

The following bibliometric databases were searched on November 15, 2021: Science Citation Index (SCI), Social Sciences Citation Index (SSCI), SCI-EXPANDED, Arts and Humanities Citation Index (A&HCI), and (Emerging Sources Science Citation Index (ESCI) in the Web of Science Core Collection of Clarivate Analytics, Canada. Vosviewer, which is a freely available Javan application, was used for data analysis (van Eck and Waltman, 2010) (VOSviewer at: <https://www.vosviewer.com>).

Text mining and bibliometric analysis

Bibliometric analysis was then conducted on related articles, and Vosviewer was used for data analysis. Among the different analyses used were the term co-occurrence analysis, bibliographic coupling, and co-citation analysis. For the term co-occurrence analysis, documents were set as the unit of analysis, while cited references, cited sources, and cited authors as units of analysis for co-citation analysis. Bibliometric coupling was also analyzed. This was done by using the full counting method, and organizations and countries were used as units of analysis.

To highlight major thematic areas, term co-occurrence analysis was used. This kind of analysis presents terms that have

co-occurred frequently and are strongly connected to each other. A thesaurus file was developed and added to the VOSviewer database prior to analysis. The reason is because some terms have different variants and can easily result in separate counting of synonyms; for example, Green House Gases and GHGs. The outputs of bibliometric analysis using VOSviewer are graphs (combination of nodes and links). The size of the nodes in the outputs is proportional to the occurrence frequency, and the width of the links connecting nodes is proportional to the strength of connections. Terms that co-occur more frequently form clusters that show different thematic areas. In addition to bibliometric analysis, content analysis of the abstracts was done to determine the studies' geographic focus (country level).

To map the thematic transition over time, we divided the study period into four subperiods (1990–2007, 2007–2014, 2015–2019, and after 2020). It should be noted that 2007 and 2014 were selected as milestones considering that releases of the IPCC reports in these years might have triggered climate change research in Africa. It was possible to include sub-periods before 1990, but, as can be seen from the results in section Results and discussions, less research was published until 1990, not warranting further sub-periods. To understand the thematic shift during each period, term co-occurrence analyses were conducted for each sub-period.

Results and discussions



The trends

The growth trends of climate change adaptation and mitigation literature were examined from the initial starting point of 1990. Figure 1 shows the total number of publications in the different time periods. It displays how climate change research in Africa has increased steadily across the three decades. The results show that the number of articles in this field has progressed through four stages: slow growth, rapid growth, explosive growth, and steady growth, with an average growth rate of 21%. During the first period (1990–2007), the number of articles was very small and growing slowly. More so, the publication volume within the years of this period was not very much different, indicating the very low volume of exploration. The second period corresponds to 2008–2014. In this period, an overall upward trend was observed, indicating an attraction of extensive attention from scholars worldwide, thus entering a period of expansion and promotion. In the third period (2015–2019), the number of articles significantly increased, especially after the publication of the fifth IPCC assessment report, indicating a highly productive period. The fourth and last period, 2020–2021, shows rapid growth, with 947 articles published in <2 years. The number of publications in the four study periods was 118, 684, 1,487, and 947, respectively. There is a significant increase in the growth of publications per year,

with an annual average increase of 22.5%. It is evident that this is a young field as fewer papers were published from 1990 to 2007 compared to papers published from 2020 to November 2021. In fact, only 117 publications were made from 1990 to 2017, indicating the low relevance of the topic during this period compared to 947 publications for <2 years (2020–2021), indicating the current high relevance of the topic. The very slow growth in the first period was due to the limited theoretical understanding, while the significant increase in the subsequent periods could be attributed to general causes such as digital publication, the birth of new journals, and specific factors such as the release of the two IPCC assessment reports (fourth and fifth reports in 2007 and 2014, respectively). An implication is that climate change in Africa and its impacts are increasingly recognized together with the increasing significance of climate change adaptation and mitigation to curb these impacts.

Out of the 3,317 articles that were used in the analysis, the country focus was not uniform over Africa. There were 380 papers focused on South Africa alone. The second focus country was Ethiopia, with 301 (Figure 2). In West Africa, only Ghana has a high research focus with 242 articles, higher than Kenya and Tanzania. Surprisingly, the most populous nation, Nigeria, is not among the countries with a large number of publications. The high research focus on South Africa is likely because the universities in the country are among the leading organization in this field. For over three decades, African countries have received relatively low research focus. More research was done on Africa as a continent or on African regions than on specific countries. A total of 1,219 studies were focused on Africa and its sub-regions, excluding specific countries. Countries like Gabon, Libya, Eritrea, Chad, Central African Republic have so far had no research on climate change adaptation and mitigation (Figure 2). However, the ascending curve reveals, even if empirically, these numbers will continue to grow considerably, given the theme's relevance.

Looking at the thematic focus, 72% of the articles are on adaptation, 22% on mitigation, and 6% on both adaptation and mitigation. It, therefore, deserves attention that mitigation efforts are limited. We were also interested in knowing who the leading researchers in the continent were (in other words, authors that have published more papers on the topic). We noticed that researchers from the USA authored more publications ($N = 718$; 10%), followed by researchers from South Africa ($N = 660$; 9%), the United Kingdom ($N = 554$; 8%), Germany ($N = 420$; 6%), and Kenya ($N = 343$; 5%) (Figure 3). Researchers belonging to institutes based in Africa published 38.7%, while those from the West (America, Canada, Europe, and Australia) published 49%. The rest of the world (China, Indonesia, etc.) published 12.3%. Of the 54 African countries, 11% have not published anything on climate change adaptation and mitigation, 64% have carried out <100 case studies on their countries, while 9.2% have carried out above one hundred case studies in their countries. South Africa has the highest number



of publications because of its well-developed science system that underpins climate change scenarios developed for South Africa. Authors based in England, South Africa, and Tanzania are those with the greatest focus on adaptation strategies. The works of Germany, the USA, and Kenya were mainly concentrated

on food security, and those of Australia, Ethiopia, and China on carbon sequestration. However, a huge research gap exists on mitigation.


Regarding geographic focus, South Africa, Ethiopia and Ghana have received more attention (Figure 2). In contrast, less attention has been paid to Tanzania, Kenya, and Nigeria. Also, no case studies were found on the Central African Republic, Somalia, Gabon, Ivory Coast, Libya etc (Figure 2). Overall, it can be seen that climate change is poorly studied in the continent, and there is a gap in consideration of adaptation and mitigation policy designs.

Climate change is a global threat that can stress various sectors and deteriorate the sustainability of diverse sectors worldwide. Specifically, the vulnerability of the agricultural sector is globally concerning because of insufficient production and supplies. In effect, the global feeding patterns are challenged particularly in African countries where agriculture is an integral part of the economy. Therefore, mitigating the impacts of climate change is of great importance and requires global commitment.

The overall thematic focus of the literature on climate change adaptation and mitigation in africa

The overall thematic focus (1990–2021)

Based on the term co-occurrence analysis, there were four main clusters: blue, red, yellow, and green, each representing a different research focus. These clusters have been identified



by the software based on the co-occurrence frequency and the strength of connection between terms. The size of each node reflects the frequency of appearance. A term with a larger node, is a research hotspot. The thicker the line, the more frequently the terms have co-occurred. The co-occurrence analysis showcases that there has been more attention on vulnerability (blue), agriculture (red), forest management and sequestration (green), and sustainability and energy-related climate mitigation (yellow). It should be mentioned that what is discussed in the following sections is not exhaustive. While there could be other important issues related to climate change adaptation and mitigation, we have mainly focused on those key topics that were highlighted in the outputs of the bibliometric analysis.

The adaptation/vulnerability cluster (blue)

The blue cluster highlights the vulnerability of households and farmers due to climate variability and the poverty it has inflicted on communities. The literature on this cluster is centered on the vulnerability of Africa to climate change impacts. From the blue cluster, it is visible that researchers are interested in studying adaptation from the gender, household, indigenous knowledge, and livelihood perspectives that are considered to be important factors for vulnerability (Jost et al., 2016; Flatø et al., 2017). The dominance of the terms climate variability, vulnerability, and resilience is not surprising, considering that a lot of research has been done on climate variability and the risks faced by farmers and smallholder

farmers in Africa (Bryan et al., 2009; Müller et al., 2011; Adenle et al., 2017; Siderius et al., 2021). For instance, cocoyam farmers in Nigeria face challenges adapting to climate (Ifeyanyi-Obi et al., 2017). Meanwhile, in Ghana, maize productivity has been affected by changes in climate (Aidoo et al., 2021). This has further warranted research on the vulnerability of households and how resilient they are to climate change. Gezimua (Gezimua, 2021) examined the prevalence of household food insecurity and vulnerability to climate change in East Africa and showed that households' adaptive capacity plays a significant role in reducing the prevalence of food insecurity (Gezimua, 2021). Researchers have preferred to study vulnerability and resilience from an adaptive perspective, as seen in Figure 4. Nyboer et al. (2019) presented a climate change vulnerability assessment of 85% of Africa's freshwater fishes. They concluded that vulnerable species are found in the African Rift Valley lakes, the Congo River drainage, and the coastal rivers of West Africa (Nyboer et al., 2019). A study on the degree of vulnerability and its impacts on human health in Central Africa showed that, the mean monthly household cooling energy demand is expected to significantly increase by 2,046, resulting in major energy security issues (Nematchoua et al., 2019). There have also been studies of vulnerability at different levels. Vulnerability has been more researched from the perspective of gender perception (Descheemaeker et al., 2016; Tesfaye et al., 2019). For instance, changes in temperature characteristics were highly perceived among female farmers in Ghana (Appiah and Guodaar, 2021). Another study done in Ghana found that there were gender-specific differences in the use of some adaptation practices

(Jamal et al., 2021). Another term that stands out is poverty, indicating how researchers are interested in knowing if poverty is contributing to vulnerability and if poorer households are prioritized for interventions that increase adaptive capacity (Williams et al., 2019).

From this cluster, we see how local and international scholars investigate how communities' efforts and changes in livelihood can display different degrees of resilience by employing different strategies. African communities are resilient to climate change through their attitudinal shifts and local technology innovations to better curb the impacts of climate change (Simpson et al., 2019). Communities build on their perceptions about past practices, skills, and knowledge to build adaptive capacity and resilience to suit their current life (Gandure et al., 2013; Perez et al., 2015; Elum et al., 2017; Talanow et al., 2021). Climate resilience is improved by incorporating gender perspectives (Perez et al., 2015; Adzawla et al., 2019a).

In addition, barriers hindering successful adaptation strategies were an area of consideration (Murkowski, 2000; Betsill and Bulkeley, 2007). Some of the barriers that have been hindering adaptation strategies are limited financial resources, government structures, and challenges with capacity development. An issue that needs to be noticed is that despite the increasing concerns about extreme heat and its impacts on human health, related terms did not emerge from the term co-occurrence analysis. This indicates the lack of research on this issue as also highlighted in other studies (Harrington and Otto, 2020; Ncongwane et al., 2021). More research on the adaptation to extreme heat in the context of Africa is, therefore, needed.

The food security cluster (red)

This cluster showcases the interest in understanding climate change's general impacts on food security. From Figure 4, most of the research is on the impacts of climate change on agriculture and its contribution to food security (Figure 4). The overwhelming concern of scientists is whether increased temperatures are impacting African agriculture and contributing to high levels of food insecurity (Sultan, 2012; Connolly-Boutin and Smit, 2016; Douxchamps et al., 2016). There have also been studies on the uncertainty of climate impacts and the extent of their impacts on food security (Ahmed, 2020; Mekonnen et al., 2021). The next concern from this cluster is the types of agricultural approaches used to increase food security. Conservation and smart agriculture are the main focus areas (Branca et al., 2021; Thierfelder and Mhlanga, 2022). Another thematic focus that has attracted publication is models and simulation. Researchers are keen to develop and use different climate change models to predict temperature and rainfall trends and yield productivity to better understand how to address climate change challenges (Jones et al., 2005; Araújo and Rahbek, 2006; Lobell and Burke, 2010; Semenov and Stratonovitch, 2010). Sub-Saharan Africa,

particularly West and Southern Africa, have been the focused regions in this cluster (Brown et al., 2009; Müller et al., 2011; Shindell et al., 2012).

The forestry and sequestration cluster (green)

Cluster green is centered around the concept of climate change mitigation (Nyong et al., 2007; Syampungani et al., 2010; Tschora and Cherubini, 2020), which is focused on reducing GHGs emissions (Friedrich and Trois, 2011; Tongwane et al., 2016; Tongwane and Moeletsi, 2018). There have also been studies on how climate change impacts ecosystem services (Sintayehu, 2018). For instance, in Tanzania and Kenya, a key carbon sink, biomass has been reduced by 76% (Wilson et al., 2021). Tuli-Karoo transboundary aquifer in Southern Africa has been studied to understand the interaction between groundwater ecosystems and climate change (Majola et al., 2021). Furthermore, a considerable amount of mitigation research focuses on carbon sequestration (Adetoye et al., 2018; Gonzalez-Sanchez et al., 2019), soil organic carbon (Vågen et al., 2005; Swanepoel et al., 2016), REDD, and REDD+ (Rahlaio et al., 2012; Soliev et al., 2021). The Congo Basin, Cameroon, Madagascar, and Zambia are often the focus areas of such research that generate knowledge regarding the role of forests in climate change mitigation (Somorin et al., 2012; Bele et al., 2015; Soazafy et al., 2021). Agricultural soils in Africa have been studied and found to generally have potential as a carbon sink (Vågen et al., 2005; Swanepoel et al., 2016). Different countries in Africa have demonstrated the different costs of carbon sequestration. For example, carbon sequestration cost in Botswana is \$16.75 and in Congo DRC \$16.77, the highest in the continent, while lower costs are reported in Nigeria at \$7, and Mali at \$8 (Adetoye et al., 2018). Policy implementation processes and institutional interactions have been examined in Cameroon and are known to shape Reducing Emissions from Deforestation and Forest Degradation (REDD+) (Gakou-Kakeu et al., 2022). In Nigeria, it was noticed that the payment of monetary incentives does not necessarily motivate communities to participate in the REDD+ program (Isyaku, 2021). Here we see a link between mitigation and ecosystems services which is under-explored to the best of our knowledge. Research in this cluster improves governance of social-ecological systems at the local, regional and landscape levels.

Mitigation policy cluster (yellow)

This cluster is mainly focused on mitigation policies related to the energy sector and renewable energies. It shows how researchers are attracted to sustainability challenges faced by African countries (Beg et al., 2002; Ozturk, 2017). Researchers are also interested in the sustainable management of forests since they are the main absorbents of CO₂ (Teketay et al., 2010; Njana et al., 2021). The main link in this cluster is between institutions and policy. This is an indication that researchers are




FIGURE 4 The output of the term co-occurrence analysis for the whole study period (1990–2021).

exploring climate policy designs and the institutions involved in policy making (Leal Filho et al., 2018; Epule et al., 2021), and the virtue of the importance of GHGs, mainly CO₂, in climate change policy. Despite the significance of mitigation policies, relatively limited research has been conducted on these issues. The Economic Community of West African States (ECOWAS) Renewable Energy Policy has shown a significant and positive impact on primary energy (Ali and Yu, 2021). In Nigeria, policies on ways to stimulate solar technology business are missing in the national solar energy policy document (Ozoegwu and Akpan,

2021). The results of Müller and colleagues agree with ours in that literature of renewable energy policies in African states are rare (Müller et al., 2020).

Thematic focus transitions over time

Four specific periods were investigated to see if some research topics have fluctuated, remained stable, or changed over time. Period one starts from 1990 to 2007, with 2007

corresponding to the release date of the fourth IPCC assessment report. Period two starts from 2008 to 2014, with 2014 corresponding to the publication of the fifth IPCC assessment report. Period three, from 2015 to 2019, and the fourth period from 2020, is referred to as the post-pandemic period in this study.

First period (1990–2007)

A total of 117 articles were published during this period. Although the concept of climate change can be noted as early as 1990, research focus on it was very low, as seen from the few occurrences of relevant terms (Figure 5). Adaptation has been the focus area since the first period, as seen in Figure 5. Concepts of vulnerability (blue), sustainability (red), and climate variability (green) have appeared during this period (Bohle et al., 1994; Schulze, 1997; Dixon, 2003; Ogunseitan, 2003). The blue cluster insinuates how agricultural practices had become vulnerable to climate change during this period. Therefore, more research had begun to be carried out on the impacts on agriculture. There was also the emergence of studies on the sensitivity of water resources to climate change. The centrality of water resources is relatively low during this period, showing less connection with other topics. Studies on policy formulation and implementation relating to climate change also gained attention. The green cluster is focused on CO₂ emissions and their related studies, which further triggered studies on carbon sequestration. During this period, CO₂ as the main greenhouse gas and its impacts on biodiversity were among the major priority research topics (Olivier et al., 1999; Blignaut et al., 2005).

There were also studies specifically focused on modeling the optimal mitigation of the potential impact of climate change (Jenkins et al., 2002). For example, in 2000, Zheng and Neelin used the atmosphere–land–vegetation model to explore vegetation–climate interactions in African savanna (Zeng and Neelin, 2000). It is evident that studies were more on forestry, and its absorbing nature was seen as a mitigating measure. For instance, in 1992, sources and sinks of carbon dioxide and methane exchanges were studied in the Mayombe forest, which was proven to be a net sink of atmospheric methane (Delmas et al., 1992). In this period, main research themes are not closely linked and are weakly related to external topics. This period coincided with the increasing prevalence of the term sustainability, which will be seen in subsequent analysis to dominate the thematic focus of climate change research in Africa. The importance of climate change was further recognized with the signing of the Kyoto Protocol (1992)², which gradually accelerated academic discussion of climate change in the continent as well as the meetings of COP 1 in 1995 to COP


13 in 2007. The release of the IPCC fourth assessment report in 2007 was also a game changer as will be seen in the next period.

Second period (2007–2014)

This period witnessed a rapid growth of publications in the red, green, and blue clusters. This rapid growth might have been triggered by the publication of the fourth IPCC assessment report in 2007. The red cluster had seemingly gained more attention this time. Interestingly research on food security emerges. This is a keyword that was absent in the first period. During this period, it is noticed that there is more research on the climate-stressed water resources presenting a challenge for protecting food security. In the previous period, research was focused on the sensitivity of water resources to climate change, while in this period, water resources and food security are closely linked (Yang et al., 2003; Ngigi, 2009; Sheffield et al., 2014). Studies on food security have attracted further research on the impacts of climate change on soil. A study on Ethiopian soils showed soil losses were 35.4 t ha⁻¹ yr⁻¹ under changing climate conditions (Lanckriet et al., 2012). There are also other studies focused on soil. For instance, a study was carried out on ferrasols of coastal West Africa to examine soil fertility under global warming (Amouzou et al., 2013). This period sees a shift from carbon sequestration models to models that detect the sensitivity of various alimentary crops. For instance, in Benin, high-resolution regional climate models were used to detect the sensitivity of alimentary crops to changing climate conditions (Paeth et al., 2008). A robust model application to several African crops showed that, except for cassava, there is a 95% probability that climate change damages to crops exceed 7% (Schlenker and Lobell, 2010). Scientists are, therefore, interested in simulating the impacts of climate variability on changing crop yield (Kurukulasuriya and Mendelsohn, 2008; Knox et al., 2012; Ahmed et al., 2015). There is also a shift in research from water resources—from the adaptive perspective—to the food security perspective, which has gained more prominence compared with the previous period. Urama and Ozor carried out a study on the impact of climate change on water resources from the adaptive perspective and found that rising temperatures of 1.5–2°C affects fisheries in West African lakes (Urama and Ozor, 2010). It was suggested by Ngoran et al., that looking beyond command and control policy will be a better regulatory measure to mitigate climate change on water resources (Ngoran et al., 2015).

There is robust information in the blue cluster to understand climate variability and trends, a requirement to draw a context-specific climate change adaptation intervention. For instance, in 2010, Tshiala and Olwoch studied the relationship between tomato production and climate variability and found a positive trend (Tshiala and Olwoch, 2010). While some keywords continue to be dominant and prominent, like sustainability, climate variability, and vulnerability, several new keywords

² https://unfccc.int/kyoto_protocol?gclid=CjwKCAjw-rOaBhA9EiwAUkLV4lwCd7zjxPdYULehR8k0wOCEj_nVq5gL4YMU0B1-llo15qgiRceuLxoCfn0QAvD_BwE




emerge: energy security, ecosystem services, bioenergy, biomass, productivity, deforestation, conservation, resilience, etc. The emergence of these keywords shows how much attention has been given to the study of climate change. Some or most of these keywords will gain greater momentum in the subsequent periods, as will be discussed in the following sections. There is a drive toward studies on bioenergy (green cluster) that is considered to be an innovative approach in global climate mitigation efforts. There is mainly a new drive toward studies that primarily encompass biofuels produced from forest resources with simple and indigenous technologies (Adedayo et al., 2010; Langat et al., 2016). Bio-energy is very potent in reducing atmospheric methane emissions (Weiland, 2006). There is also the emergence of studies on policies to offset climate change impacts on ecosystem services. In South Africa, two key policies emerged: National Climate Change Response White Paper and South Africa's Second National Communication (Ziervogel et al., 2014). In Ethiopia, providing

farmers with farming equipment is a policy tool to facilitate farmers' adaptation to climate change (Bryan et al., 2009). As seen in Figure 6, it is evident that a significant increase has occurred in research on local perceptions about environmental awareness, attitudes, beliefs, and risk perception. Studies on the green cluster have maintained steady growth while the red cluster has bulged. Almost all themes are closely linked and strongly related to the external topics with more attention and influence compared with the first period. The research intensity during this period changed with an increase in the development and maturity of themes.


Third period (2015–2019)

The third period has witnessed explosive growth with the birth of a new cluster (Figure 7). The new yellow cluster focuses on renewable energy, showing a shift from conventional energy consumption to more renewables. The specific renewable



advancements toward using renewable energy for irrigation in the agriculture sector (Chilundo et al., 2019; Mahumane and Mulder, 2019). Renewable energy policies in Ghana have also been reviewed, and a lack of policy implementation was one of the reasons for a slow transition toward sustainable electrification (Sakah et al., 2017). Another stream of research in the energy discourse mainly focuses on the relationship between renewable energy consumption and economic growth. Arguments on this particular theme emphasize how renewable energy consumption will increase renewable energy production as a measure of environmental sustainability and how this will impact economic growth in Africa (Alper and Oguz, 2016; Bhattacharya et al., 2016). Aly et al., investigated the techno-economic feasibility of solar power in Tanzania and found that the net capital cost for an optimized plant in 2025 will be 4680 \$/kW at 7% interest rate (Aly et al., 2019).

During this period, there has been a clear focus on adaptation strategies used to deal with climate change and adaptation capacities employed by communities (blue cluster). The main adaptation link occurs with risks and strategies. This observation suggests the propensity to design strategies for climate change adaptation and their interests in how to thwart or be prepared for the likely risks this entails. For instance, developing cultivars is one of the adaptation strategies applied in Northern Cameroon, which shortens the time of cotton maturity and causes a shift in the rainy season without affecting cotton yield (Gérardeaux et al., 2018). The word perception is also associated with risk perception. This indicates the increasing number of studies on indigenous knowledge and how farmers perceive risks where their activities are undertaken (Leal Filho et al., 2022b). Ayanlade and colleagues studied farmers' perceptions in Nigeria and confirmed that 67% of farmers had



noticed fluctuations in early and late growing seasons (Ayanlade et al., 2017). In South Africa, 77.3% of potato farmers and 66.7% of cabbage farmers experienced extreme temperatures, which led to a fall in their farm productivity. Potato farmers turned to integrate pest management to deal with climate risk, while cabbage farmers turned to planting drought-tolerant varieties (Elum et al., 2017). More studies have adopted a holistic approach to climate change by considering stakeholders’ perceptions. For instance, a heat management policy was advocated when mining workers in Ghana suffered heat-related illnesses after a stakeholder consultation meeting (Nunfam et al., 2019). During this period, researchers appear to prefer studying climate change resilience from the adaptation perspective under full consideration of vulnerability. The overwhelming concern of researchers is the socio-environmental impacts on agriculture from extreme events like floods leading to food security issues under different climate variability scenarios. The next most frequent concern in dealing with food security is a shift in focus from agriculture to conservation agriculture. Overall,

adaptation-related (blue cluster) studies shrunk while research on food security (red cluster) bulged and research on green cluster maintained a steady growth. The release of the fifth IPCC assessment report, with its scientific information, and technical and socio-economic relevance, triggered a good number of articles based on scientific research about adaptation and mitigation strategies. Thus, in this period, climate change studies have been increasing and becoming more diverse in Africa. These studies incorporated new concepts that allow the topic to be addressed from a range of different disciplines. The fifth IPCC assessment report in 2014 was a critical scientific contribution that led to the successful agreement on the Paris Climate Change accord, producing more research impetus.

Post pandemic period (2020–2021)

During this period, the green cluster and its related sequestration studies continue to attract more relevance (Figure 8). Compared with the previous period, the blue cluster




FIGURE 9 The most influential journals contributing to the development of climate change adaptation and mitigation.


has expanded, while studies on the red cluster begin to receive less relevance. Publications on sustainability, vulnerability, and resilience continued to increase from an adaptation perspective. As seen from the green cluster, ecosystem services and conservation agriculture were studied more closely. Climate-smart agriculture (CSA) is a new area of research receiving more relevance and is widely studied under the red cluster. Among the climate-smart agricultural practices adopted by African farmers are diversification of crops, change of planting time, and crop rotation/mixed cropping (Nyang'au et al., 2021). Climate-smart agricultural practices are recognized as one of the best adaptative strategies because they boost agricultural productivity, increase resilience, and reduce greenhouse gases that cause climate change (Anuga et al., 2020). The yellow cluster that was found in the previous period now merges with the mitigation cluster, and studies on renewable energy continue to rise. Mukoro et al.'s (2021) work predict that by 2040, renewable energy capacity in Africa is expected to reach 169.4 GW from 48.5 GW in 2019. Specifically, in South Africa, as of 2021, a total of 6,422 MW of power has been acquired across 112 renewable energy Independent Power Producers (Ayamolowo et al., 2022). The inevitability of more frequent and more extensive floods, displaying the inherent variability of climate, continued to be studied under the blue cluster (Ficchi et al., 2021; Petrova, 2022). Ethiopia's location indicates it is more worried about climate effects on food security (red cluster). At the same time, South Africa and Ghana are also concerned about vulnerability issues

(blue cluster). But the main concern of Sub-Saharan Africa is mitigation issues (green cluster).

The outset of the pandemic positively impacted climate change research as researchers were able to develop new ideas seen from the rise in publications in <2 years. Unfortunately, the unending lockdowns have drawn attention away from climate change policy nationally and internationally. Environmentalists wonder why there has not been a pandemic preparedness for climate change as it has been for the COVID pandemic (Phillips et al., 2020). Pandemic recovery measures could be one of the solutions to climate change in Africa and the world. A complementary strategy is to use opportunities and lessons provided by the pandemic to accelerate the decline of carbon-intensive industries, technologies, and practices (Rosenbloom and Markard, 2020). Amid the pandemic, agricultural innovation and technologies have been promoted in Africa. The African Development Bank has helped increase the uptake and use of proven high-yielding climate-smart maize technologies by smallholder farmers in Sub-Saharan Africa (Fernando, 2020).

Influential sources

The co-citation analysis was used to find out which journals have contributed the most to the development of the field. Here, the size of the nodes is proportional to the number of citations,




and link width is proportional to the strength of the connection between two nodes. Four major clusters can be identified from the results of the co-citation analysis (Figure 9). The colors of these clusters are consistent with those reported for the term co-occurrence analysis. The largest cluster (blue) includes journals that are mainly focused on adaptation and vulnerability aspects. As expected, journals with a key focus on climate change and environmental issues have played a significant role in advancing Africa's knowledge of climate change adaptation. The most prominent journals in this cluster are Climatic Change, Global Environmental Change (GEC), Environmental Science Policy, and World Development. The results show that mitigation (green cluster) has mainly been addressed by journals such as PNAS, Science, Nature, and Forest Ecology and Management. The yellow cluster is dominated by influential journals like Agriculture, Ecosystem and Environment journal, Agricultural Systems, Field Crop Research, and Science of the

Total Environment. The red cluster is dominated by journals like Nature Climate Change, Environmental Research Letters, and the Journal of Climatology.

Overall, the journals that have contributed the most to this literature include Global Environmental Change, PNAS, Climatic Change, Science, Agriculture, Ecosystem and Environment, Energy policy, Environmental Research Letters, Forest Ecology and Management, and Climate while the journals with the most documents are Climate and Development and Sustainability with totals of 131 and 121 documents, respectively.

An interesting observation here is the multidisciplinary nature of this field of knowledge. As seen in Figure 9, all articles are distributed and disseminated through 66 journals, which involve different fields of application, with emphasis on food security, climate change adaptation, and mitigation studies. This requires that future studies/efforts actively involve the




participation of several professionals to add learning in such a complex decision environment.

Major contributing countries and institutions

To recognize the most prominent countries that have contributed to the field, a bibliographic coupling analysis was conducted (Figure 10). The list of the top 20 most prominent countries with the number of documents, number of citations, and total link strength is presented in the Supplementary Table S1. It is noted that countries like the USA, South Africa, England, Germany, Kenya, and Ethiopia have published more on this topic (Figure 10). The USA, the UK, and South Africa ranked highest in terms of the total number of citations. Interestingly, while developed countries have contributed more, several African countries have also been highlighted. South Africa, Botswana, and Tanzania are

some of the African countries with a close collaboration on adaptation, while Kenya, Cameroon, Ghana, and Nigeria have some research interests in food security. Ethiopia, Morocco, Egypt, Tunisia, and Algeria are interested in mitigation research, and Zimbabwe in the energy issues (Figure 10). The first 10 publishing African universities are shown in the Supplementary material with universities from South Africa taking the lead (Supplementary Table S2). Universities in South Africa are ahead of other African universities. An overwhelming number of African universities have not yet contributed to this literature.

International organizations like the World Bank, the Center for International Forest Research, World Agroforestry, etc. (Supplementary Table S3) made significant contributions, while international universities from Europe and the USA were prominent contributors (Supplementary Table S4). The focus of most African universities was on food security and adaptation, while that of some international organizations was on mitigation (Figure 11).




Influential documents

The blue and yellow clusters include studies that were mostly done from 1990 to 2007 (Figure 12). Obviously, their focus on fundamental adaptation concepts has played an important role in guiding adaptation and vulnerability research. The red and green clusters include studies that were mostly done in the second period (2008–2014). The works of Roudier et al. (2011) stand out in the green cluster. This work predicted 11% yield loss in West Africa due to climate changes, with a higher yield loss of 18% in Northern West Africa (Roudier et al., 2011). Still, in the green cluster, the study by Lobell et al. (2008), concluded that there is a 95% chance that climate change will harm Southern Africa’s maize and wheat, which are seen as the most important crops in need of adaptation. In the red cluster, the work of Deressa et al. (2009) is influential. They assessed the barriers to adaptation in Ethiopia. The result showed that the main barrier to adaptation was a lack of information and finance (Deressa et al., 2009). The work of Brooks et al. (2005) provided a robust assessment of vulnerability to climate-related mortality. They

noted that the most vulnerable nations are those situated in sub-Saharan Africa experiencing conflict (Brooks et al., 2005).

Influential authors

The most published authors were Neil Adger, Philip Thornton, Temesgen Deressa, David Lobell, Elizabeth Basauri Bryan, Mike Hulme, Lal Rattan, and Barry Smit (Figure 13). The works of Adger are mostly on the vulnerability of communities and ecosystems to unforeseen climatic changes, causes and consequences of these vulnerabilities, and adaptation strategies (Adger and Barnett, 2009; Adger et al., 2009). Thornton, is interested in the impacts of climate change on livestock and livestock systems in developing countries and also curious to know how some African crops respond to climate change (Thornton et al., 2009a,b). These results are in line with Nalau and Verrall (2021), where Adger is also seen as the most prominent author in climate change adaptation research. Our



results are consistent with the authors' publication record. For instance, Adger is a famous author in climate change adaptation, Lobell is noted for his writings on climate change mitigation, while Deressa and Bryan are noticeable for their publications on the impacts of climate change on food security.

Conclusion

This overview analysis echos a clear penchant to study and understand local adaptation capacities in Africa in the face of extreme events given that the impacts of climate change are irreversible. The most common unbiased objective in the documents is to determine how people cope with climate change based on their location. Clustering results of the literature suggest that studies on climate change adaptation mainly focused on agriculture and agroforestry, forestry, food, water and energy security. The focus is mainly on climate change adaptation in the agricultural sector. In contrast, less attention is

paid to mitigation. Therefore, more research on this topic would be needed.

Woefully, most African institutions lack adequate research, which hampers efforts to address climate change in the continent. Adaptation and mitigation policies need to be developed based on regional and local characteristics, and the promotion and funding of research in this domain led by local experts for the building of a green Africa. African institutions should improve their ability to conduct research on climate change adaptation and mitigation, enter corresponding climate adaptation and mitigation cooperation, and ensure research in this field is relevant and fruitful. Africa, with the highest population and urban population growth rates globally, is likely to have major implications for climate change. However, it did not emerge from our analysis.

The more that is known about climate change adaptation and mitigation in the African continent, the greater the understanding and support will be to make feasible decisions. There will also be more motivation to engage in local climate

change adaptation and mitigation actions. Local knowledge and cultural practices should be recognized because they can complement scientific information in the design of adequate and effective adaptation and mitigation policies. Knowledge and technology gaps in African countries should be overcome to promote climate change mitigation research, whose progress is still due to inadequate analytical infrastructure to conduct the required measurements to assess the impacts of climate change which act as a prerequisite for adaptation planning. African countries need to enhance their research ability in the field of climate change mitigation through international cooperation and other extensive methods. This will bring more focus on African problems and, therefore, find solutions suitable to African characteristics. There is a need for a closing window of opportunity to avoid worse case scenarios in the continent. Collaboration, determination and trust across countries and amongst stakeholder groups will one way in meeting the challenge.

This study conducted statistical analysis on the data of SCI/SSCI published from 1990 to November 2021 through keyword retrieval. The study found that the publication volume of climate change adaptation and mitigation research in Africa has risen rapidly in recent years. Despite this rapid increase, some countries have contributed less to the publication volume. It is necessary to implement regional cooperation on climate change adaptation and mitigation in the region and improve the research capabilities of African countries in this field. Research on climate change adaptation and mitigation in African countries is of great concern and future research should pay more attention to African countries that have contributed less to the publication volume. In the end, it should be noted that this bibliometric review had some limitations. Using only English papers and sourcing data from the web of science database means that other potentially relevant studies published in local journals not indexed in the web of science could have been missed. Examining such sources would allow gaining a more comprehensive understanding of the structure and trend of the literature. Apart from articles published in local journals,

the exclusion of gray literature was due to quality concerns and also because such studies are not indexed in formats compatible with the bibliometric analysis software tools. However, since our aim was to understand the overall structure and we already have a large number of articles in the database, we argue that the impacts of these limitations on the results are minimal.

Author contributions

Conceptualization, methodology, and software: AS. Formal analysis: AS and YB. Writing—original draft preparation: YB, AS, ST, NNG, and NG. Writing—review and editing: AS and ZA. All authors have read and agreed to the published version of the manuscript.

Conflict of interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Supplementary material

The Supplementary Material for this article can be found online at: <https://www.frontiersin.org/articles/10.3389/fclim.2022.976427/full#supplementary-material>

References

- Abidoye, B. O., and Odusola, A. F. (2015). Climate change and economic growth in Africa: an econometric analysis. *J. Afr. Econ.* 24, 277–301. doi: 10.1093/jae/eju033
- Adedayo, A., Oyun, M., and Kadeba, O. (2010). Access of rural women to forest resources and its impact on rural household welfare in North Central Nigeria. *For. Policy Econ.* 12, 439–450. doi: 10.1016/j.forpol.2010.04.001
- Adenle, A. A., Ford, J. D., Morton, J., Twomlow, S., Alverson, K., Cattaneo, A., et al. (2017). Managing climate change risks in Africa-A global perspective. *Ecol. Econ.* 141, 190–201. doi: 10.1016/j.ecolecon.2017.06.004
- Adetoye, A. M., Okojie, L. O., and Akerele, D. (2018). Forest carbon sequestration supply function for African countries: an econometric modelling approach. *For. Policy Econ.* 90, 59–66. doi: 10.1016/j.forpol.2018.01.007
- Adger, W. N., and Barnett, J. (2009). Four reasons for concern about adaptation to climate change. *Environ. Plann. A* 41, 2800–2805. doi: 10.1068/a42244
- Adger, W. N., Eakin, H., and Winkels, A. (2009). Nested and teleconnected vulnerabilities to environmental change. *Front. Ecol. Environ.* 7, 150–157. doi: 10.1890/070148
- Adzawla, W., Azumah, S. B., Anani, P. Y., and Donkoh, S. A. (2019a). Gender perspectives of climate change adaptation in two selected districts of Ghana. *Heliyon* 5, e02854. doi: 10.1016/j.heliyon.2019.e02854
- Adzawla, W., Sawaneh, M., and Yusuf, A. M. (2019b). Greenhouse gasses emission and economic growth nexus of sub-Saharan Africa. *Sci. Afr.* 3, e00065. doi: 10.1016/j.sciaf.2019.e00065

- Ahmed, K. F., Wang, G., Yu, M., Koo, J., and You, L. (2015). Potential impact of climate change on cereal crop yield in West Africa. *Clim. Change* 133, 321–334. doi: 10.1007/s10584-015-1462-7
- Ahmed, S. M. (2020). Impacts of drought, food security policy and climate change on performance of irrigation schemes in Sub-Saharan Africa: the case of Sudan. *Agric. Water Manage.* 232, 106064. doi: 10.1016/j.agwat.2020.106064
- Aidoo, D. C., Boateng, S. D., Freeman, C. K., and Anaglo, J. N. (2021). The effect of smallholder maize farmers' perceptions of climate change on their adaptation strategies: the case of two agro-ecological zones in Ghana. *Heliyon* 7, e08307. doi: 10.1016/j.heliyon.2021.e08307
- Akinsola, A. A., Ongoma, V., and Koopman, G. J. (2021). Evaluation of CMIP6 models in simulating the statistics of extreme precipitation over Eastern Africa. *Atmos. Res.* 254, 105509. doi: 10.1016/j.atmosres.2021.105509
- Akinyi, D. P., Karanja Ng'ang'a, S., E.H. Girvetz. (2021). Trade-offs and synergies of climate change adaptation strategies among smallholder farmers in sub-Saharan Africa: a systematic review. *Reg. Sustain.* 2, 130–143. doi: 10.1016/j.regsus.2021.05.002
- Alagidede, P., Adu, G., and Frimpong, P. B. (2016). The effect of climate change on economic growth: evidence from Sub-Saharan Africa. *Environ. Econ. Policy Stud.* 18, 417–436. doi: 10.1007/s10018-015-0116-3
- Ali, M. M. M., and Yu, Q. (2021). Assessment of the impact of renewable energy policy on sustainable energy for all in West Africa. *Renew. Energy* 180, 544–551. doi: 10.1016/j.renene.2021.08.084
- Alper, A., and Oguz, O. (2016). The role of renewable energy consumption in economic growth: evidence from asymmetric causality. *Renew. Sustain. Energy Rev.* 60, 953–959. doi: 10.1016/j.rser.2016.01.123
- Aly, A., Bernardos, A., Fernandez-Peruchena, C. M., Jensen, S. S., and Pedersen, A. B. (2019). Is Concentrated Solar Power (CSP) a feasible option for Sub-Saharan Africa?: Investigating the techno-economic feasibility of CSP in Tanzania. *Renew. Energy* 135, 1224–1240. doi: 10.1016/j.renene.2018.09.065
- Amouzou, K. A., Ezui, K. S., and Sogbedji, J. M. (2013). Impacts of climate variability and soil fertility management strategies on maize grain yield on ferral soils in Coastal Western Africa. *J. Renew. Agric.* 1, 44–52. doi: 10.12966/jra.06.04.2013
- Anuga, S. W., Chirinda, N., Nukpezah, D., Ahenkan, A., Andrieu, N., Gordon, C., et al. (2020). Towards low carbon agriculture: Systematic-narratives of climate-smart agriculture mitigation potential in Africa. *Curr. Res. Environ. Sustain.* 2, 100015. doi: 10.1016/j.crsust.2020.100015
- Appiah, D. O., and Guoadaar, L. (2021). Smallholder farmers' perceptions and knowledge on climate variability and perceived effects in vulnerable rural communities in the Offinso Municipality, Ghana. *Environ. Dev.* (2021) 42, 100691. doi: 10.1016/j.envdev.2021.100691
- Apraku, A., Morton, J. F., and Apraku-Gyampoh, B. (2021). Climate change and small-scale agriculture in Africa: does indigenous knowledge matter? Insights from Kenya and South Africa. *Sci. Afr.* 12, e00821. doi: 10.1016/j.sciaf.2021.e00821
- Araújo, M. B., and Rahbek, C. (2006). How does climate change affect biodiversity? *Science* 313, 1396–1397. doi: 10.1126/science.1131758
- Arndt, C., Schlosser, A., Strzpek, K., and Thurlow, J. (2014). Climate change and economic growth prospects for Malawi: An uncertainty approach. *J. Afr. Econ.* 23, i183–ii107. doi: 10.1093/jae/eju013
- Ayamolowo, O. J., Manditereza, P., and Kusakana, K. (2022). South Africa power reforms: The Path to a dominant renewable energy-sourced grid. *Energy Rep.* 8, 1208–1215. doi: 10.1016/j.egy.2021.11.100
- Ayanlade, A., Radeny, M., and Morton, J. F. (2017). Comparing smallholder farmers' perception of climate change with meteorological data: a case study from southwestern Nigeria. *Weather Clim. Extr.* 15, 24–33. doi: 10.1016/j.wace.2016.12.001
- Azadi, H., Moghaddam, S. M., Burkart, S., Mahmoudi, H., Van Passel, S., Kurban, A., et al. (2021). Rethinking resilient agriculture: from climate-smart agriculture to vulnerable-smart agriculture. *J. Clean. Prod.* 319, 128602. doi: 10.1016/j.jclepro.2021.128602
- Beg, N., Morlot, J. C., Davidson, O., Afrane-Okese, Y., Tyani, L., Denton, F., et al. (2002). Linkages between climate change and sustainable development. *Clim. Pol.* 2, 129–144. doi: 10.3763/cpol.2002.0216
- Bele, M. Y., Sonwa, D. J., and Tiani, A.-M. (2015). Adapting the Congo Basin forests management to climate change: Linkages among biodiversity, forest loss, and human well-being. *For. Policy Econ.* 50, 1–10. doi: 10.1016/j.forpol.2014.05.010
- Berck, P., Berck, C. S., and Jacobson, T. N. (2018). *A Changing Climate in a Changing Land, Agricultural Adaptation to Climate Change in Africa*. London, UK: Routledge.
- Betsill, M., and Bulkeley, H. (2007). Looking back and thinking ahead: a decade of cities and climate change research. *Local Environ.* 12, 447–456. doi: 10.1080/13549830701659683
- Bhattacharya, M., Paramati, S. R., Ozturk, I., and Bhattacharya, S. (2016). The effect of renewable energy consumption on economic growth: Evidence from top 38 countries. *Applied Energy* 162, 733–741. doi: 10.1016/j.apenergy.2015.10.104
- Blignaut, J. N., Chitiga-Mabugu, M., and Mabugu, R. (2005). Constructing a Greenhouse Gas Emissions Inventory Using Energy Balances: The Case of South Africa for 1998. *J. Energy South. Afr.* 16, 21–32.
- Boden, T., Andres, R., and Marland, G. (2017). *Global, Regional, and National Fossil-Fuel CO2 Emissions (1751–2014)*(v. 2017). *Environ. System Science Data Infrastructure for a Virtual Ecosystem*.
- Bohle, H. G., Downing, T. E., and Watts, M. J. (1994). Climate change and social vulnerability: toward a sociology and geography of food insecurity. *Glob. Environ. Change* 4, 37–48. doi: 10.1016/0959-3780(94)90020-5
- Branca, G., Arslan, A., Paolantonio, A., Grever, U., Cattaneo, A., Cavatassi, R., et al. (2021). Assessing the economic and mitigation benefits of climate-smart agriculture and its implications for political economy: a case study in Southern Africa. *J. Clean. Prod.* 285, 125161. doi: 10.1016/j.jclepro.2020.125161
- Brooks, N., Adger, W. N., and Kelly, P. M. (2005). The determinants of vulnerability and adaptive capacity at the national level and the implications for adaptation. *Glob. Environ. Change* 15, 151–163. doi: 10.1016/j.gloenvcha.2004.12.006
- Brown, M. E., Hintermann, B., and Higgins, N. (2009). *Markets, Climate Change, and Food Security in West Africa*. Washington, D.C.: ACS Publications.
- Bryan, E., Deressa, T. T., Gbetibouo, G. A., and Ringler, C. (2009). Adaptation to climate change in Ethiopia and South Africa: options and constraints. *Environ. Sci. Policy* 12, 413–426. doi: 10.1016/j.envsci.2008.11.002
- Busby, J. W., Smith, T. G., and Krishnan, N. (2014). Climate security vulnerability in Africa mapping 3.01. *Pol. Geogr.* 43, 51–67. doi: 10.1016/j.polgeo.2014.10.005
- Chilundo, R. J., Neves, D., and Mahanjane, U. S. (2019). Photovoltaic water pumping systems for horticultural crops irrigation: Advancements and opportunities towards a green energy strategy for Mozambique. *Sustain. Energy Technol. Assess.* 33, 61–68. doi: 10.1016/j.seta.2019.03.004
- Connolly-Boutin, L., and Smit, B. (2016). Climate change, food security, and livelihoods in sub-Saharan Africa. *Reg. Environ. Change* 16, 385–399. doi: 10.1007/s10113-015-0761-x
- De Bakker, F. G., Groenewegen, P., and Den Hond, F. (2005). A bibliometric analysis of 30 years of research and theory on corporate social responsibility and corporate social performance. *Bus. Soc.* 44, 283–317. doi: 10.1177/0007650305278086
- Delmas, R., Servant, J., Tathy, J., Cros, B., and Labat, M. (1992). Sources and sinks of methane and carbon dioxide exchanges in mountain forest in equatorial Africa. *J. Geophys. Res. Atmos.* 97, 6169–6179. doi: 10.1029/90JD02575
- Deressa, T. T., Hassan, R. M., Ringler, C., Alemu, T., and Yesuf, M. (2009). Determinants of farmers' choice of adaptation methods to climate change in the Nile Basin of Ethiopia. *Glob. Environ. Change* 19, 248–255. doi: 10.1016/j.gloenvcha.2009.01.002
- Descheemaeker, K., Oosting, S. J., Tui, S. H.-K., Masikati, P., Falconnier, G. N., Giller, K. E., et al. (2016). Climate change adaptation and mitigation in smallholder crop-livestock systems in sub-Saharan Africa: a call for integrated impact assessments. *Reg. Environ. Change* 16, 2331–2343. doi: 10.1007/s10113-016-0957-8
- Dixon, R. K., Smith, J., and Guill, S. (2003). Life on the edge: Vulnerability and adaptation of african ecosystems to global climate change. *Mitigat. Adapt. Strateg. Glob. Chang.* 8, 93–113. doi: 10.1023/A:1026001626076
- Donat, M., Peterson, T., Brunet, M., King, A., Almazroui, M., Kolli, R., et al. (2014). Changes in extreme temperature and precipitation in the Arab region: long-term trends and variability related to ENSO and NAO. *Int. J. Climatol.* 34, 581–592. doi: 10.1002/joc.3707
- Douxchamps, S., Van Wijk, M. T., Silvestri, S., Moussa, A. S., Quiros, C., Ndour, N. Y. B., et al. (2016). Linking agricultural adaptation strategies, food security and vulnerability: evidence from West Africa. *Reg. Environ. Change* 16, 1305–1317. doi: 10.1007/s10113-015-0838-6
- Dzoga, M., Simatele, D., and Munga, C. (2018). Assessment of ecological vulnerability to climate variability on coastal fishing communities: a study of Ungwana Bay and Lower Tana Estuary, Kenya. *Ocean Coast. Manage.* 163, 437–444. doi: 10.1016/j.ocecoaman.2018.07.015
- Einecker, R., and Kirby, A. (2020). Climate change: a bibliometric study of adaptation, mitigation and resilience. *Sustainability* 12, 6935. doi: 10.3390/su12176935

- Elum, Z. A., Modise, D. M., and Marr, A. (2017). Farmer's perception of climate change and responsive strategies in three selected provinces of South Africa. *Clim. Risk Manage.* 16, 246–257. doi: 10.1016/j.crm.2016.11.001
- Engelbrecht, F., Adegoke, J., Bopape, M.-J., Naidoo, M., Garland, R., Thatcher, M., et al. (2015). Projections of rapidly rising surface temperatures over Africa under low mitigation. *Environ. Res. Lett.* 10, 085004. doi: 10.1088/1748-9326/10/8/085004
- Epule, T. E., Chehbouni, A., Dhiba, D., Moto, M. W., and Peng, C. (2021). African climate change policy performance index. *Environ. Sustain. Indicat.* 12, 100163. doi: 10.1016/j.indic.2021.100163
- Fernando, A. J. (2020). How Africa is promoting agricultural innovations and technologies amidst the COVID-19 pandemic. *Mol. Plant* 13, 1345–1346. doi: 10.1016/j.molp.2020.08.003
- Ficchi, A., Cloke, H., Neves, C., Woolnough, S., de Perez, E. C., Zsoter, E., et al. (2021). Beyond El Niño: unsung climate modes drive African floods. *Weather Clim. Extr.* 33, 100345. doi: 10.1016/j.wace.2021.100345
- Flato, M., Muttarak, R., and Pelsler, A. (2017). Women, weather, and woes: The triangular dynamics of female-headed households, economic vulnerability, and climate variability in South Africa. *World Dev.* 90, 41–62. doi: 10.1016/j.worlddev.2016.08.015
- Fotso-Nguemo, T. C., Vondou, D. A., Pokam, W. M., Djomou, Z. Y., Diallo, I., Haensler, A., et al. (2017). On the added value of the regional climate model REMO in the assessment of climate change signal over Central Africa. *Clim. Dyn.* 49, 3813–3838. doi: 10.1007/s00382-017-3547-7
- Frangoul (2019). *From Angola to Zambia, Here are Africa's Leaders in Green Energy*. Available online at: <https://www.cnbc.com/2019/06/10/from-angola-to-zambia-here-are-africas-leaders-in-green-energy.html> (accessed on 2022, 2019).
- Friedrich, E., and Trois, C. (2011). Quantification of greenhouse gas emissions from waste management processes for municipalities—A comparative review focusing on Africa. *Waste Manage.* 31, 1585–1596. doi: 10.1016/j.wasman.2011.02.028
- Gakou-Kakeu, J., Gregorio, M. D. i., Paavola, J., and Sonwa, D. J. (2022). REDD+ policy implementation and institutional interplay: Evidence from three pilot projects in Cameroon. *For. Pol. Econ.* 135, 102642. doi: 10.1016/j.forpol.2021.102642
- Gandure, S., Walker, S., and Botha, J. (2013). Farmers' perceptions of adaptation to climate change and water stress in a South African rural community. *Environ. Dev.* 5, 39–53. doi: 10.1016/j.envdev.2012.11.004
- Gérardeaux, E., Loison, R., Palaï, O., and Sultan, B. (2018). Adaptation strategies to climate change using cotton (*Gossypium hirsutum* L.) ideotypes in rainfed tropical cropping systems in Sub-Saharan Africa. A modeling approach. *Field Crops Res.* 226, 38–47. doi: 10.1016/j.fcr.2018.07.007
- Gezimua, G. (2021). Prevalence of Household Food Insecurity in East Africa: Linking Food Access with Climate Vulnerability. *Clim. Risk Manage.* 33, 100333. doi: 10.1016/j.crm.2021.100333
- Gonzalez-Sanchez, E. J., Veroz-Gonzalez, O., Conway, G., Moreno-Garcia, M., Kassam, A., Mkomwa, S., et al. (2019). Meta-analysis on carbon sequestration through Conservation Agriculture in Africa. *Soil Tillage Res.* 190, 22–30. doi: 10.1016/j.still.2019.02.020
- Habimana Simbi, C., Lin, J., Yang, D., Ndayishimiye, J. C., Liu, Y., Li, H., et al. (2021). *Decomposition and Decoupling Analysis of Carbon Dioxide Emissions in African Countries During 1984–2014*.
- Harrington, L. J., and Otto, F. E. L. (2020). Reconciling theory with the reality of African heatwaves. *Nat. Clim. Change* 10, 796–798. doi: 10.1038/s41558-020-0851-8
- Hertig, E., Seubert, S., Paxian, A., Vogt, G., Paeth, H., Jacobeit, J., et al. (2014). Statistical modelling of extreme precipitation indices for the Mediterranean area under future climate change. *Int. J. Climatol.* 34, 1132–1156. doi: 10.1002/joc.3751
- Hirsch, J. E. (2005). An index to quantify an individual's scientific research output. *Proc. Natl. Acad. Sci.* 102, 16569–16572. doi: 10.1073/pnas.0507655102
- Hoegh-Guldberg, O., Jacob, D., Bindi, M., Brown, S., Camilloni, I., Diedhiou, A., et al. (2018). *Impacts of 1.5 C. Global Warming on Natural and Human Systems, Global warming of 1.5 C. An IPCC Special Report*.
- Ifeanyi-Obi, C., Togun, A., Lamboll, R., Adesope, O., and Arokoyu, S. (2017). Challenges faced by cocoyam farmers in adapting to climate change in Southeast Nigeria. *Clim. Risk Manage.* 17, 155–164. doi: 10.1016/j.crm.2017.04.002
- Isyaku, U. (2021). What motivates communities to participate in forest conservation? A study of REDD+ pilot sites in Cross River, Nigeria. *For. Pol. Econ.* 133, 102598. doi: 10.1016/j.forpol.2021.102598
- Iyakaremye, V., Zeng, G., Yang, X., Zhang, G., Ullah, I., Gahigi, A., et al. (2021). Increased high-temperature extremes and associated population exposure in Africa by the mid-21st century. *Sci. Total Environ.* 790, 148162. doi: 10.1016/j.scitotenv.2021.148162
- Jamal, A. M., Antwi-Agyei, P., Baffour-Ata, F., Nkiaka, E., Antwi, K., Gbordzor, A., et al. (2021). Gendered perceptions and adaptation practices of smallholder cocoa farmers to climate variability in the Central Region of Ghana. *Environ. Challenges* 5, 100293. doi: 10.1016/j.envc.2021.100293
- Janssen, M. A., Schoon, M. L., Ke, W., and Börner, K. (2006). Scholarly networks on resilience, vulnerability and adaptation within the human dimensions of global environmental change. *Glob. Environ. Change* 16, 240–252. doi: 10.1016/j.gloenvcha.2006.04.001
- Jenkins, G. S., Adamou, G., and Fongang, S. (2002). The challenges of modeling climate variability and change in West Africa. *Clim. Change* 52, 263–286. doi: 10.1023/A:1013741803144
- Jones, C., McConnell, C., Coleman, K., Cox, P., Falloon, P., Jenkinson, D., et al. (2005). Global climate change and soil carbon stocks; predictions from two contrasting models for the turnover of organic carbon in soil. *Global Change Biol.* 11, 154–166. doi: 10.1111/j.1365-2486.2004.00885.x
- Jost, C., Kyazze, F., Naab, J., Neelormi, S., Kinyangi, J., Zougmore, R., et al. (2016). Understanding gender dimensions of agriculture and climate change in smallholder farming communities. *Clim. Dev.* 8, 133–144. doi: 10.1080/17565529.2015.1050978
- Knox, J., Hess, T., Daccache, A., and Wheeler, T. (2012). Climate change impacts on crop productivity in Africa and South Asia. *Environ. Res. Lett.* 7, 034032. doi: 10.1088/1748-9326/7/3/034032
- Kurukulasuriya, P., and Mendelsohn, R. (2008). Crop switching as a strategy for adapting to climate change. *Afr. J. Agric. Resour. Econ.* 2, 105–126. doi: 10.22004/ag.econ.56970
- Lanckriet, S., Araya, T., Cornelis, W., Verfaillie, E., Poesen, J., Govaerts, B., et al. (2012). Impact of conservation agriculture on catchment runoff and soil loss under changing climate conditions in May Zeg-zeg (Ethiopia). *J. Hydrol.* 475, 336–349. doi: 10.1016/j.jhydrol.2012.10.011
- Langat, D., Maranga, E., Aboud, A., and Cheboiwo, J. (2016). Role of forest resources to local livelihoods: The case of East Mau forest ecosystem, Kenya. *Int. J. For. Res.* 2016. doi: 10.1155/2016/4537354
- Leal Filho, W., Balogun, A.-L., Ayal, D. Y., Bethurem, E. M., Murambadoro, M., Mambo, J., et al. (2018). Strengthening climate change adaptation capacity in Africa—case studies from six major African cities and policy implications. *Environ. Sci. Policy* 86, 29–37. doi: 10.1016/j.envsci.2018.05.004
- Leal Filho, W., Barbir, J., Gwenz, J., Ayal, D., Simpson, N. P., Adeleke, L., et al. (2022a). The role of indigenous knowledge in climate change adaptation in Africa. *Environ. Sci. Policy* 136, 250–260. doi: 10.1016/j.envsci.2022.06.004
- Leal Filho, W., Totin, E., Franke, J. A., Andrew, S. M., Abubakar, I. R., Azadi, H., et al. (2022b). Understanding responses to climate-related water scarcity in Africa. *Sci. Total Environ.* 806, 150420. doi: 10.1016/j.scitotenv.2021.150420
- Lelieveld, J., Proestos, Y., Hadjinicolaou, P., Tanarhte, M., Tyrllis, E., Zittis, G., et al. (2016). Strongly increasing heat extremes in the Middle East and North Africa (MENA) in the 21st century. *Clim. Change* 137, 245–260. doi: 10.1007/s10584-016-1665-6
- Li, J., Wang, M.-H., and Ho, Y.-S. (2011). Trends in research on global climate change: a science citation index expanded-based analysis. *Global Planet. Change* 77, 13–20. doi: 10.1016/j.gloplacha.2011.02.005
- Liebmann, B., Hoerling, M. P., Funk, C., Bladé, I., Dole, R. M., Allured, D., et al. (2014). Understanding recent eastern Horn of Africa rainfall variability and change. *J. Climate* 27, 8630–8645. doi: 10.1175/JCLI-D-13-00714.1
- Lobell, D. B., and Burke, M. B. (2010). On the use of statistical models to predict crop yield responses to climate change. *Agric. For. Meteorol.* 150, 1443–1452. doi: 10.1016/j.agrformet.2010.07.008
- Lobell, D. B., Burke, M. B., Tebaldi, C., Mastrandrea, M. D., Falcon, W. P., Naylor, R. L., et al. (2008). Prioritizing climate change adaptation needs for food security in 2030. *Science* 319, 607–610. doi: 10.1126/science.1152339
- Mahumane, G., and Mulder, P. (2019). Expanding versus greening? Long-term energy and emission transitions in Mozambique. *Energy Policy* 126, 145–156. doi: 10.1016/j.enpol.2018.10.056
- Majola, K., Xu, Y., and Kanyerere, T. (2021). *Assessment of climate change impacts on groundwater-dependent ecosystems in transboundary aquifer settings with reference to the Tuli-Karoo transboundary aquifer. Ecohydrol. Hydrobiol.* 22, 126–140. doi: 10.1016/j.ecohyd.2021.08.013
- Marx, W., Haunschild, R., and Bornmann, L. (2017). Global warming and tea production—the bibliometric view on a newly emerging research topic. *Climate* 5, 46. doi: 10.3390/cli5030046

- Mekonnen, A., Tessema, A., Ganewo, Z., and Haile, A. (2021). Climate change impacts on household food security and farmers adaptation strategies. *J. Agric. Food Res.* 6, 100197. doi: 10.1016/j.jafr.2021.10.0197
- Moher, D., Liberati, A., Tetzlaff, J., and Altman, D. G. (2010). Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *Int. J. Surg.* 8, 336–341. doi: 10.1016/j.jisu.2010.02.007
- Moron, V., Oueslati, B., Pohl, B., Rome, S., and Janicot, S. (2016). Trends of mean temperatures and warm extremes in northern tropical Africa (1961–2014) from observed and PPCA-reconstructed time series. *J. Geophys. Res. Atmos.* 121, 5298–5319. doi: 10.1002/2015JD024303
- Mukoro, V., Gallego-Schmid, A., and Sharmina, M. (2021). Life cycle assessment of renewable energy in Africa. *Sustain. Prod. Consump.* 28, 1314–1332. doi: 10.1016/j.spc.2021.08.006
- Müller, C., Cramer, W., Hare, W. L., and Lotze-Campen, H. (2011). Climate change risks for African agriculture. *Proc. Natl. Acad. Sci.* 108, 4313–4315. doi: 10.1073/pnas.1015078108
- Müller, F., Claar, S., Neumann, M., and Elsner, C. (2020). Is green a Pan-African colour? Mapping African renewable energy policies and transitions in 34 countries. *Energy Res. Soc. Sci.* 68, 101551. doi: 10.1016/j.erss.2020.101551
- Mumo, L., Yu, J., and Fang, K. (2018). Assessing impacts of seasonal climate variability on maize yield in Kenya. *Int. J. Plant Prod.* 12, 297–307. doi: 10.1007/s42106-018-0027-x
- Murkowski, F. H. (2000). The Kyoto protocol in not the answer to climate change. *Harv. J. Legis.* 37, 345. Available online at: <https://heinonline.org/HOL/LandingPage?handle=hein.journals/hjl37&div=20&id=&page=>
- Nalau, J., and Verrall, B. (2021). Mapping the evolution and current trends in climate change adaptation science. *Clim. Risk Manag.* 32, 100290. doi: 10.1016/j.crm.2021.100290
- Nathaniel, S. P., and Adeleye, N. (2021). Environmental preservation amidst carbon emissions, energy consumption, and urbanization in selected African countries: implication for sustainability. *J. Clean. Prod.* 285, 125409. doi: 10.1016/j.jclepro.2020.125409
- Ncongwane, K. P., Botai, J. O., Sivakumar, V., Botai, C. M. (2021). A literature review of the impacts of heat stress on human health across Africa. *Sustainability* 13, 5312. doi: 10.3390/su13095312
- Nematchoua, M. K., Orosa, J. A., and Reiter, S. (2019). Climate change: Variabilities, vulnerabilities and adaptation analysis—A case of seven cities located in seven countries of Central Africa. *Urban Clim.* 29, 100486. doi: 10.1016/j.uclim.2019.100486
- Ngigi, S. N. (2009). *Climate Change Adaptation Strategies: Water Resources Management Options for Smallholder Farming Systems in sub-Saharan Africa*. New York, NY: The Earth Institute at Columbia University.
- Ngoran, S. D., Dogah, K. E., and Xue, X. (2015). Assessing the impacts of climate change on water resources: The Sub-Saharan Africa perspective. *J. Econ. Sustain. Dev.* 6, 185–193. Available online at: https://www.researchgate.net/profile/Suinyuy-Derrick-Ngoran/publication/288181618_Assessing_the_Impacts_of_Climate_Change_on_Water_Resources_The_Sub-Saharan_Africa_Perspective/links/567ec98c08aebcc4e05de5d/Assessing-the-Impacts-of-Climate-Change-on-Water-Resources-The-Sub-Saharan-Africa-Perspective.pdf
- Nicholson, S. E. (2017). Climate and climatic variability of rainfall over eastern Africa. *Rev. Geophys.* 55, 590–635. doi: 10.1002/2016RG000544
- Nicholson, S. E., Funk, C., and Fink, A. H. (2018). Rainfall over the African continent from the 19th through the 21st century. *Global Planet. Change* 165, 114–127. doi: 10.1016/j.gloplacha.2017.12.014
- Nikiema, P. M., Sylla, M. B., Ogunjobi, K., Kebe, I., Gibbs, P., Giorgi, F., et al. (2017). Multi-model CMIP5 and CORDEX simulations of historical summer temperature and precipitation variabilities over West Africa. *Int. J. Climatol.* 37, 2438–2450. doi: 10.1002/joc.4856
- Nikulin, G., Lennard, C., Dosio, A., Kjellström, E., Chen, Y., Hänsler, A., et al. (2018). The effects of 1.5 and 2 degrees of global warming on Africa in the CORDEX ensemble. *Environ. Res. Lett.* 13, 065003. doi: 10.1088/1748-9326/aab1b1
- Njana, M. A., Mbilinyi, B., and Eliakimu, Z. (2021). The role of forests in the mitigation of global climate change: Empirical evidence from Tanzania. *Environ. Challenges* 100170. doi: 10.1016/j.envc.2021.100170
- Nkhonjera, G. K. (2017). Understanding the impact of climate change on the dwindling water resources of South Africa, focusing mainly on Olifants River basin: a review. *Environ. Sci. Policy* 71, 19–29. doi: 10.1016/j.envsci.2017.02.004
- North, M. A., Hastie, W. W., Craig, M. H., and Slotow, R. (2022). Tracing primary sources of funding for, and patterns of authorship in, climate change research in Africa. *Environ. Sci. Policy* 127, 196–208. doi: 10.1016/j.envsci.2021.10.023
- Nunfam, V. F., Van Etten, E. J., Oosthuizen, J., Adusei-Asante, K., and Frimpong, K. (2019). Climate change and occupational heat stress risks and adaptation strategies of mining workers: Perspectives of supervisors and other stakeholders in Ghana. *Environ. Res.* 169, 147–155. doi: 10.1016/j.envres.2018.11.004
- Nyang'au, J. O., Mohamed, J. H., Mango, N., Makate, C., and Wangeci, A. N. (2021). Smallholder farmers' perception of climate change and adoption of climate smart agriculture practices in Masaba South Sub-county, Kisii, Kenya. *Heliyon* 7, e06789. doi: 10.1016/j.heliyon.2021.e06789
- Nyboer, E. A., Liang, C., and Chapman, L. J. (2019). Assessing the vulnerability of Africa's freshwater fishes to climate change: a continent-wide trait-based analysis. *Biol. Conserv.* 236, 505–520. doi: 10.1016/j.biocon.2019.05.003
- Nyiwul, L. (2021). Innovation and adaptation to climate change: Evidence from the water sector in Africa. *J. Clean. Prod.* 298, 126859. doi: 10.1016/j.jclepro.2021.126859
- Nyong, A., Adesina, F., and Elasha, B. O. (2007). The value of indigenous knowledge in climate change mitigation and adaptation strategies in the African Sahel. *Mitigation Adap. Strat. Global Change* 12, 787–797. doi: 10.1007/s11027-007-9099-0
- Ogunseitan, O. (2003). Framing environmental change in Africa: cross-scale institutional constraints on progressing from rhetoric to action against vulnerability. *Glob. Environ. Change* 13, 101–111. doi: 10.1016/S0959-3780(03)00004-9
- Olivier, J., Bouwman, A., Berdowski, J., Veldt, C., Bloos, J., Visschedijk, A., et al. (1999). Sectoral emission inventories of greenhouse gases for 1990 on a per country basis as well as on 1 × 1. *Environ. Sci. Policy* 2, 241–263. doi: 10.1016/S1462-9011(99)00027-1
- Ozoegwu, C. G., and Akpan, P. U. (2021). A review and appraisal of Nigeria's solar energy policy objectives and strategies against the backdrop of the renewable energy policy of the Economic Community of West African States. *Renew. Sustain. Energy Rev.* 143, 110887. doi: 10.1016/j.rser.2021.110887
- Ozturk, I. (2017). The dynamic relationship between agricultural sustainability and food-energy-water poverty in a panel of selected Sub-Saharan African Countries. *Energy Policy* 107, 289–299. doi: 10.1016/j.enpol.2017.04.048
- Paeth, H., Capo-Chichi, A., and Endlicher, W. (2008). Climate change and food security in tropical West Africa—a dynamic-statistical modelling approach. *Erdkunde* 62, 101–115. doi: 10.3112/erdkunde.2008.02.01
- Perez, C., Jones, E., Kristjansson, P., Cramer, L., Thornton, P. K., Förch, W., et al. (2015). How resilient are farming households and communities to a changing climate in Africa? A gender-based perspective. *Global Environ. Change* 34, 95–107. doi: 10.1016/j.gloenvcha.2015.06.003
- Petrova, K. (2022). Floods, communal conflict and the role of local state institutions in Sub-Saharan Africa. *Pol. Geogr.* 92, 102511. doi: 10.1016/j.polgeo.2021.102511
- Phillips, C. A., Caldas, A., Cleetus, R., Dahl, K. A., Declat-Barreto, J., Licker, R., et al. (2020). Compound climate risks in the COVID-19 pandemic. *Nat. Clim. Change* 10, 586–588. doi: 10.1038/s41558-020-0804-2
- Radhouane, L. (2013). Climate change impacts on North African countries and on some Tunisian economic sectors. *J. Agric. Environ. Int. Dev. (JAEID)* 107, 101–113. doi: 10.12895/jaeid.2013.11.123
- Rahlao, S., Mantlana, B., Winkler, H., and Knowles, T. (2012). South Africa's national REDD+ initiative: assessing the potential of the forestry sector on climate change mitigation. *Environ. Sci. Policy* 17, 24–32. doi: 10.1016/j.envsci.2011.11.013
- Rosenbloom, D., and Markard, J. (2020). A COVID-19 recovery for climate. *Am. Assoc. Adv. Sci.* 368, 447–447. doi: 10.1126/science.abc4887
- Roudier, P., Sultan, B., Quirion, P., and Berg, A. (2011). The impact of future climate change on West African crop yields: what does the recent literature say?. *Glob. Environ. Change* 21, 1073–1083. doi: 10.1016/j.gloenvcha.2011.04.007
- Russo, S., Marchese, A. F., Sillmann, J., and Immé, G. (2016). When will unusual heat waves become normal in a warming Africa?. *Environ. Res. Lett.* 11, 054016. doi: 10.1088/1748-9326/11/5/054016
- Sakah, M., Diawuo, F. A., Katzenbach, R., and Gyamfi, S. (2017). Towards a sustainable electrification in Ghana: a review of renewable energy deployment policies. *Renew. Sustain. Energy Rev.* 79, 544–557. doi: 10.1016/j.rser.2017.05.090
- Saleh, M. (2021). Production-Based Carbon Dioxide (CO₂) Emissions in Africa in 2020, by Country. Available online at: <https://www.statista.com/statistics/1268395/production-based-co2-emissions-in-africa-by-country/> (accessed January 17, 2022).
- Schlenker, W., and Lobell, D. B. (2010). Robust negative impacts of climate change on African agriculture. *Environ. Res. Lett.* 5, 014010. doi: 10.1088/1748-9326/5/1/014010

- Schulze, R. (1997). Impacts of global climate change in a hydrologically vulnerable region: challenges to South African hydrologists. *Progr. Phys. Geogr.* 21, 113–136. doi: 10.1177/030913339702100107
- Semenov, M. A., and Stratonovitch, P. (2010). Use of multi-model ensembles from global climate models for assessment of climate change impacts. *Clim. Res.* 41, 1–14. doi: 10.3354/cr00836
- Sharifi, A. (2021). Urban sustainability assessment: An overview and bibliometric analysis. *Ecol. Indic.* 121, 107102. doi: 10.1016/j.ecolind.2020.107102
- Sharifi, A., Allam, Z., Feizizadeh, B., and Ghamari, H. (2021). Three decades of research on smart cities: mapping knowledge structure and trends. *Sustainability* 13, 7140. doi: 10.3390/su13137140
- Sheffield, J., Wood, E. F., Chaney, N., Guan, K., Sadri, S., Yuan, X., et al. (2014). A drought monitoring and forecasting system for sub-Saharan African water resources and food security. *Bull. Am. Meteorol. Soc.* 95, 861–882. doi: 10.1175/BAMS-D-12-00124.1
- Shindell, D., Kuylenstierna, J. C., Vignati, E., van Dingenen, R., Amann, M., Klimont, Z., et al. (2012). Simultaneously mitigating near-term climate change and improving human health and food security. *Science* 335, 183–189. doi: 10.1126/science.1210026
- Siderius, C., Kolusu, S. R., Todd, M. C., Bhave, A., Dougill, A. J., Reason, C. J., et al. (2021). Climate variability affects water-energy-food infrastructure performance in East Africa. *One Earth* 4, 397–410. doi: 10.1016/j.oneear.2021.02.009
- Sileshi, G. W., and Gebeyehu, S. (2021). Emerging infectious diseases threatening food security and economies in Africa. *Global Food Secur.* 28, 100479. doi: 10.1016/j.gfs.2020.100479
- Sileshi, G. W., Gebeyehu, S., and Mafongoya, P. L. (2019). The threat of alien invasive insect and mite species to food security in Africa and the need for a continent-wide response. *Food Secur.* 11, 763–775. doi: 10.1007/s12571-019-00930-1
- Simpson, N. P., Shearing, C. D., and Dupont, B. (2019). Climate gating: a case study of emerging responses to Anthropocene Risks. *Clim. Risk Manage.* 26, 100196. doi: 10.1016/j.crm.2019.100196
- Sintayehu, D. W. (2018). Impact of climate change on biodiversity and associated key ecosystem services in Africa: a systematic review. *Ecosyst. Health Sustain.* 4, 225–239. doi: 10.1080/20964129.2018.1530054
- Soazafy, M. R., Osen, K., Wurz, A., Raveloaritiana, E., Martin, D. A., Ranarijaona, H. L. T., et al. (2021). Aboveground carbon stocks in Madagascar's vanilla production landscape—exploring rehabilitation through agroforestry in the light of land-use history. *Glob. Ecol. Conserv.* 31, e01853. doi: 10.1016/j.gecco.2021.e01853
- Soliev, I., Theesfeld, I., Abert, E., and Schramm, W. (2021). Benefit sharing and conflict transformation: Insights for and from REDD+ forest governance in sub-Saharan Africa. *For. Pol. Econ.* 133, 102623. doi: 10.1016/j.forpol.2021.102623
- Somorin, O. A., Brown, H. C. P., Visseren-Hamakers, I. J., Sonwa, D. J., Arts, B., Nkem, J., et al. (2012). The Congo Basin forests in a changing climate: policy discourses on adaptation and mitigation (REDD+). *Glob. Environ. Change* 22, 288–298. doi: 10.1016/j.gloenvcha.2011.08.001
- Steynor, A., Leighton, M., Kavonic, J., Abrahams, W., Magole, L., Kaunda, S., et al. (2020). Learning from climate change perceptions in southern African cities. *Clim. Risk Manage.* 27, 100202. doi: 10.1016/j.crm.2019.100202
- Sultan, B. (2012). Global warming threatens agricultural productivity in Africa and South Asia. *Environ. Res. Lett.* 7, 041001. doi: 10.1088/1748-9326/7/4/041001
- Swanepoel, C., Van der Laan, M., Weepener, H., Du Preez, C., and Annandale, J. G. (2016). Review and meta-analysis of organic matter in cultivated soils in southern Africa. *Nutr. Cycl. Agroecosyst.* 104, 107–123. doi: 10.1007/s10705-016-9763-4
- Syampungani, S., Chirwa, P., Akinnifesi, F., and Ajayi, O. (2010). The potential of using agroforestry as a win-win solution to climate change mitigation and adaptation and meeting food security challenges in Southern Africa. *Agric. J.* 5, 80–88. doi: 10.3923/aj.2010.80.88
- Talanow, K., Topp, E. N., Loos, J., and Martín-López, B. (2021). Farmers' perceptions of climate change and adaptation strategies in South Africa's Western Cape. *J. Rural Stud.* 81, 203–219. doi: 10.1016/j.rurstud.2020.10.026
- Tan, X.-C., Zhu, K.-W., Sun, Y.-L., Zhao, W.-Y., and Chen, F. (2021). Bibliometric research on the Dev. of climate change in the BRI regions. *Adv. Clim. Change Res.* 12, 254–262. doi: 10.1016/j.accre.2021.03.010
- Teketay, D., Lemenih, M., Bekele, T., Yemshaw, Y., Feleke, S., Tadesse, W., et al. (2010). *Forest Resources and Challenges of Sustainable Forest Management and Conservation in Ethiopia, Degraded Forests in Eastern Africa*. London, UK: Routledge, 31–75.
- Tenaw, D., and Hawitibo, A. L. (2021). Carbon decoupling and economic growth in Africa: Evidence from production and consumption-based carbon emissions. *Resour. Environ. Sustain.* 6, 100040. doi: 10.1016/j.resenv.2021.100040
- Tesfaye, A., Hansen, J., Kassie, G. T., Radeny, M., and Solomon, D. (2019). Estimating the economic value of climate services for strengthening resilience of smallholder farmers to climate risks in Ethiopia: a choice experiment approach. *Ecol. Econ.* 162, 157–168. doi: 10.1016/j.ecolecon.2019.04.019
- Thierfelder, C., and Mhlanga, B. (2022). Short-term yield gains or long-term sustainability?—a synthesis of Conservation Agriculture long-term experiments in Southern Africa. *Agric. Ecosyst. Environ.* 326, 107812. doi: 10.1016/j.agee.2021.107812
- Thornton, P. K., Jones, P. G., Alagarwamy, G., and Andresen, J. (2009a). Spatial variation of crop yield response to climate change in East Africa. *Glob. Environ. Change* 19, 54–65. doi: 10.1016/j.gloenvcha.2008.08.005
- Thornton, P. K., van de Steeg, J., Notenbaert, A., and Herrero, M. (2009b). The impacts of climate change on livestock and livestock systems in developing countries: a review of what we know and what we need to know. *Agric. Syst.* 101, 113–127. doi: 10.1016/j.agry.2009.05.002
- Tongwane, M., Mdlambuzi, T., Moeletsi, M., Tsubo, M., Mliswa, V., Grootboom, L., et al. (2016). Greenhouse gas emissions from different crop production and management practices in South Africa. *Environ. Dev.* 19, 23–35. doi: 10.1016/j.envdev.2016.06.004
- Tongwane, M. I., and Moeletsi, M. E. (2018). A review of greenhouse gas emissions from the agriculture sector in Africa. *Agric. Syst.* 166, 124–134. doi: 10.1016/j.agry.2018.08.011
- Tramblay, Y., El Adlouni, S., and Servat, E. (2013). Trends and variability in extreme precipitation indices over Maghreb countries. *Nat. Haz. Earth Syst. Sci.* 13, 3235–3248. doi: 10.5194/nhess-13-3235-2013
- Tschora, H., and Cherubini, F. (2020). Co-benefits and trade-offs of agroforestry for climate change mitigation and other sustainability goals in West Africa. *Global Ecol. Conserv.* 22, e00919. doi: 10.1016/j.gecco.2020.e00919
- Tshiala, M., and Olwoch, J. M. (2010). Impact of climate variability on tomato production in Limpopo Province, South Africa. *Afr. J. Agric. Res.* 5, 2945–2951. Available online at: https://repository.up.ac.za/bitstream/handle/2263/16115/Tshiala_Impact%282010%29.pdf?sequence=1&isAllowed=y
- Urama, K. C., and Ozor, N. (2010). Impacts of climate change on water resources in Africa: the role of adaptation. *Afr. Technol. Policy Stud. Netw.* 29, 1–29. Available online at: https://www.researchgate.net/profile/Nicholas-Ozor/publication/267218899_Impacts_of_climate_change_on_water_resources_in_Africa_the_role_of_adaptation/links/552e5ed20cf2acd38cb92f1a/Impacts-of-climate-change-on-water-resources-in-Africa-the-role-of-adaptation.pdf
- Vägen, T. G., Lal, R., and Singh, B. (2005). Soil carbon sequestration in sub-Saharan Africa: a review. *Land Degrad. Dev.* 16, 53–71. doi: 10.1002/ldr.644
- van Eck, N. J., and Waltman, L. (2010). Software survey: VOSviewer, a computer program for bibliometric mapping. *Scientometrics* 84, 523–538. doi: 10.1007/s11192-009-0146-3
- Vizy, E. K., and Cook, K. H. (2012). Mid-twenty-first-century changes in extreme events over northern and tropical Africa. *J. Climate* 25, 5748–5767. doi: 10.1175/JCLI-D-11-00693.1
- Wang, B., Pan, S.-Y., Ke, R.-Y., Wang, K., and Wei, Y.-M. (2014). An overview of climate change vulnerability: a bibliometric analysis based on Web of Science database. *Nat. Haz.* 74, 1649–1666. doi: 10.1007/s11069-014-1260-y
- Wang, Z., Zhao, Y., and Wang, B. (2018). A bibliometric analysis of climate change adaptation based on massive research literature data. *J. Cleaner Prod.* 199, 1072–1082. doi: 10.1016/j.jclepro.2018.06.183
- Weforum (2021). *Africa's Fastest-Growing Cities are the Most Vulnerable to Climate Change Globally*. Cologne, Switzerland: World Economic Forum (weforum.org) (accessed on December 28, 2021).
- Wei, Y.-M., Mi, Z.-F., and Huang, Z. (2015). Climate policy modeling: an online SCI-E and SSCI based literature review. *Omega* 57, 70–84. doi: 10.1016/j.omega.2014.10.011
- Weiland, P. (2006). State of the art of solid-state digestion—recent developments, solid-state digestion—state of the art and further R&D requirements. *Gulzower Fachgespräche* 24, 22–38.
- Williams, P. A., Crespo, O., and Abu, M. (2019). Adapting to changing climate through improving adaptive capacity at the local level—The case of smallholder horticultural producers in Ghana. *Clim. Risk Manage.* 23, 124–135. doi: 10.1016/j.crm.2018.12.004
- Wilson, R. J., Saille, S. F., Jacobs, Z. L., Kamau, J., Mgeleka, S., Okemwa, G. M., et al. (2021). Large projected reductions in marine fish biomass for Kenya and

Tanzania in the absence of climate mitigation. *Ocean Coast. Manage.* 215, 105921. doi: 10.1016/j.ocecoaman.2021.105921

Worldbank (2022). *CO2 Emissions (kt) - Sub-Saharan Africa | Data*. Available online at: worldbank.org (accessed on January 17, 2022).

Yang, H., Reichert, P., Abbaspour, K. C., and Zehnder, A. J. (2003). *A Water Resources Threshold and its Implications for Food Security*, Washington, D.C.: ACS Publications.

Zeng, N., and Neelin, J. D. (2000). The role of vegetation–climate interaction and interannual variability in shaping the African savanna. *J.*

Climate 13, 2665–2670. doi: 10.1175/1520-0442(2000)013<2665:TROVCI>2.0.CO;2

Ziervogel, G., New, M., Archer van Garderen, E., Midgley, G., Taylor, A., Hamann, R., et al. (2014). Climate change impacts and adaptation in South Africa. *Wiley Interdiscip. Rev. Clim. Change* 5, 605–620. doi: 10.1002/wcc.295

Zinyengere, N., Crespo, O., and Hachigonta, S. (2013). Crop response to climate change in southern Africa: a comprehensive review. *Global Planet. Change* 111, 118–126. doi: 10.1016/j.gloplacha.2013.08.010